

QUZW2.E510763 - Process Control Equipment for Use in Hazardous Locations - Component

Process Control Equipment for Use in Hazardous Locations -Component

See General Information for Process Control Equipment for Use in Hazardous Locations - Component

DANFOSS A/S E510763

BLDG E14-S1A NORDBORGVEJ 81 6430 NORDBORG, DENMARK

Class I, Division 2, Groups A, B, C and D, "Pressure Transmitters", Model(s) AKS Series followed by 3000, 3050, 32R, 2050, 33 or 32, followed by 060G, followed by xxxx where x is any alphanumeric, followed by 0-100% or 0-11Vdc or 0-20mA, followed by a number from 0 to

Class I, Division 2, Groups A, B, C and D, "Pressure Transmitters", Model(s) DST Series followed by P300, P310, P340 or P30M, followed by 076G, followed by xxxx where x is any alphanumeric, followed by 0-100% or 0-11Vdc or 0-20mA, followed by a number from 0 to 500.

Class I, Division 2, Groups A, B, C and D, "Pressure Transmitters", Model(s) EMP Series followed by 2, followed by 084G, followed by xxxx where x is any alphanumeric, followed by 0-100% or 0-11Vdc or 0-20mA, followed by a number from 0 to 500.

Class I, Division 2, Groups A, B, C and D, "Pressure Transmitters", Model(s) MBS Series followed by 3000, 3050, 32R, 2050, 33, 32, 3200, 3250, 3300, 3350, 33M, 5100, 4010, 4000, 4003 or 1700, followed by 060G (not 5100) or 060N (5100 only), followed by xxxx where x is any alphanumeric, followed by 0-100% or 0-11Vdc or 0-20mA, followed by a number from 0 to 500.

Class I, Division 2, Groups A, B, C and D Pressure Transmitter, Model(s) DST followed by P100, P110, P120, P130 or P140, followed by 075, followed by G followed by any 4 digit number, followed by xxx % or zz Vdc or yy mA, where `xxx" can be a numerical value 0-100, `zz" can be a numerical value 0-11, and 'yy" can be a numerical value 0-20





Marking: Company name or trademark Danfoss , model designation, and the Recognized Component

Mark,

Last Updated on 2020-07-30

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a nonmisleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2020 UL LLC"



QUZW8.E510763 - Process Control Equipment for Use in Hazardous Locations Certified for Canada -Component

Process Control Equipment for Use in Hazardous Locations Certified for Canada - Component

See General Information for Process Control Equipment for Use in Hazardous Locations Certified for Canada - Component

DANFOSS A/S E510763

BLDG E14-S1A NORDBORGVEJ 81 6430 NORDBORG, DENMARK

Class I, Division 2, Groups A, B, C and D, "Pressure Transmitters", Model(s) AKS Series followed by 3000, 3050, 32R, 2050, 33 or 32, followed by 060G, followed by xxxx where x is any alphanumeric, followed by 0-100% or 0-11Vdc or 0-20mA, followed by a number from 0 to

Class I, Division 2, Groups A, B, C and D, "Pressure Transmitters", Model(s) DST Series followed by P300, P310, P340 or P30M, followed by 076G, followed by xxxx where x is any alphanumeric, followed by 0-100% or 0-11Vdc or 0-20mA, followed by a number from 0 to 500.

Class I, Division 2, Groups A, B, C and D, "Pressure Transmitters", Model(s) EMP Series followed by 2, followed by 084G, followed by xxxx where x is any alphanumeric, followed by 0-100% or 0-11Vdc or 0-20mA, followed by a number from 0 to 500.

Class I, Division 2, Groups A, B, C and D, "Pressure Transmitters", Model(s) MBS Series followed by 3000, 3050, 32R, 2050, 33, 32, 3200, 3250, 3300, 3350, 33M, 5100, 4010, 4000, 4003 or 1700, followed by 060G (not 5100) or 060N (5100 only), followed by xxxx where x is any alphanumeric, followed by 0-100% or 0-11Vdc or 0-20mA, followed by a number from 0 to 500.

Class I, Division 2, Groups A, B, C and D Pressure Transmitter, Model(s) DST followed by P100, P110, P120, P130 or P140, followed by 075, followed by G followed by any 4 digit number, followed by xxx % or zz Vdc or yy mA, where `xxx" can be a numerical value 0-100, `zz" can be a numerical value 0-11, and 'yy" can be a numerical value 0-20





Marking: Company name or trademark Danfoss, , Danfoss, , model designation and the Recognized Component

Mark for Canada,

Last Updated on 2020-07-30

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a nonmisleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2020 UL LLC"